DR-TB Treatment Indicators

Table of Contents:

PCT_TX_DR_ENROLL: DR-TB treatment enrollment coverage	2
TX_DR_ENROLL: DR-TB treatment initiations	2
TX_STR_ENROLL: DR-TB "all oral" short treatment regimen initiations	2
TX_LTR_ENROLL: DR-TB "all oral" longer treatment regimen initiations	2
TX_DR_ADR: Number of people with adverse reactions to DR-TB treatment	3
TX_DR_SUPPORT: Percentage of people on DR-TB treatment who received treatment support	3
TX_DR_SUPPORT_SS: Special social support for DR-TB treatment	3
TX_DR_OUT: DR-TB Treatment Outcomes	3
DR_TSR: DR-TB treatment success rate	4
DRTBHIV_TSR: DR-TB/HIV coinfection treatment success rate	4

The color of the indicator reference sheet indicates whether the indicator is calculated or not calculated, and whether it could be considered a disaggregate of another indicator:

Calculated indicators:

|--|

Non calculated indicators:

Indicator name Ex: TB_ART_N: Number of TB clients who start or continue ART	r
---	---

Calculated indicators that could be reported as a disaggregate of another indicator:

Indicator name	Ex: PCT_DRTB_ART: Percentage DR-TB clients who
	start or continue ART

Non calculated indicators that could be reported as a disaggregate of another indicator:

Indicator name	Ex: DRTB_ART_N: Number of DR-TB clients who
	start or continue ART

Definition	Percentage of people with DR-TB enrolled on DR-TB treatment in the reporting period, among people with DR-TB notified during the reporting period.	
Numerator	Number of laboratory-confirmed or clinically diagnosed people with DR-TB enrolled on DR-TB treatment during the reporting period	PBMEF data element: TX_DR_ENROLL WHO database: unconf_rr_nfqr_tx plus conf_rr_nfqr_tx plus conf_rr_fqr_tx
Denominator	Number of people with DR-TB notified during the reporting period	PBMEF data element: MDR_NOTIF+XDR_NOTIF WHO database: conf_rr_nfqr (lab-confirmed RR/MDR only) + conf_rr_fqr (lab-confirmed pre-XDR/XDR only)
Category	Cure	
Indicator type	Outcome	
PBMEF level	Extended	
Unit of measure	Percent of people	
Disaggregate by	MDR vs XDR TB	

Indicator name	TX_DR_ENROLL: DR-TB treatment initiations
Note:	No feedback requested on this indicator as it is an essential indicator and already has an associated PIRS.

	Indicator name	TX_STR_ENROLL: DR-TB "all oral" short treatment regimen initiations
N	ote:	No feedback requested on this indicator as it is an essential indicator and already has an associated PIRS.

Indicator name	TX_LTR_ENROLL: DR-TB "all oral" longer treatment regimen initiations
Note:	No feedback requested on this indicator as it is an essential indicator and already has an associated PIRS.

Note:	No feedback requested on this indicator as it is an essential indicator and already has an associated PIRS.
-------	---

Indicator name	TX_DR_SUPPORT: Percentage of people on DR-TB treatment who received treatment support
Note:	No feedback requested on this indicator as it is an essential indicator and already has an associated PIRS.

Indicator name	TX_DR_SUPPORT_SS: Special social support for DR-TB treatment [Previously SN-17]
Definition	National policies indicate special social support for people receiving DR-TB treatment. Use the following scoring system: 0 = No 1 = Yes
Numerator	National policies indicate special social support for people receiving DR-TB treatment. Use the following scoring system: 0 = No 1 = Yes
Denominator	N/A
Category	Sustain
Indicator type	Output
PBMEF level	Extended
Unit of measure	Boolean (Yes/No)
Disaggregate by	

Indicator name	TX_DR_OUT: DR-TB Treatment Outcomes
Note:	No feedback requested on this indicator as it is an essential indicator and already has an associated PIRS.

Indicator name	DR_TSR: DR-TB treatment success rate
Note:	No feedback requested on this indicator as it is an essential indicator and already has an associated PIRS.

Indicator name	DRTBHIV_TSR: DR-TB/HIV coinfection treatment success rate Previously [TH-24]
	Included in TB/HIV PIRS

